Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	831	"atm://" and URL	USPAT	OR	OFF	2005/07/11 14:48
L2	30	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/07/11 14:48
L3	29	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
L4	29	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/07/11 14:48
L5	29	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/07/11 14:48
L6	18	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/07/11 14:48
L7	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2005/07/11 14:48
L8	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/07/11 14:48
L9	16	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2005/07/11 14:48
L10	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2005/07/11 14:48
L11	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
L12	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/07/11 14:48
L13	0	"atm://ATM"	USPAT	OR	OFF	2005/07/11 14:48
L14	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
L15	44881	"atm@"	USPAT	OR	OFF	2005/07/11 14:48
L16	0	atm adj "://"	USPAT	OR	OFF	2005/07/11 14:48
L17	44881	"atm:// "	USPAT	OR	OFF	2005/07/11 14:48

L18	0	atm adj url	USPAT	OR	OFF	2005/07/11 14:48
L19	448014	atm adj$3 url	USPAT	OR	OFF	2005/07/11 14:48
L20	40	atm same url	USPAT	OR	OFF	2005/07/11 14:48
L21	7481173	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
L22	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
L23	1	"6601127".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L24	0	"6757743".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L25	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
L26	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
L27	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
L28	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L29	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L30	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L31	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L32	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48

L33	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
L34	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/07/11 14:48
L35	3799	uniform adj resource adj locator	USPAT	OR	OFF	2005/07/11 14:48
L36	1813	L35 and identifier	USPAT	OR	OFF	2005/07/11 14:48
L37	9	L36 and "service parameter"	USPAT	OR	OFF	2005/07/11 14:48
L38	9	L37 and ad@<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
L39	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
L40	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
L41	6152	circuit with switch with network	USPAT	OR	OFF	2005/07/11 14:48
L42	0	L41 with Digital with signal same URL	USPAT	OR	OFF	2005/07/11 14:48
L43	0	(L41 with Digital with signal) same URL	USPAT	OR	OFF	2005/07/11 14:48
L44	3	L41 same URL	USPAT	OR	OFF	2005/07/11 14:48
L45	7	"6510153"	USPAT	OR	OFF	2005/07/11 14:48
L46	831	"atm://" and URL	USPAT	OR	OFF	2005/07/11 14:48
L47	30	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/07/11 14:48
L48	29	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
L49	29	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/07/11 14:48
L50	29	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/07/11 14:48

L51	18	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/07/11 14:48
L52	18	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2005/07/11 14:48
L53	18	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/07/11 14:48
L54	16	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2005/07/11 14:48
L55	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/07/11 14:48
L56	0	"atm://ATM"	USPAT	OR	OFF	2005/07/11 14:48
L57	44881	"atm@"	USPAT	OR	OFF	2005/07/11 14:48
L58	0	atm adj "://"	USPAT	OR	OFF	2005/07/11 14:48
L59	44881	"atm:// "	USPAT	OR	OFF	2005/07/11 14:48
L60	0	atm adj url	USPAT	OR	OFF	2005/07/11 14:48
L61	448014	atm adj$3 url	USPAT	OR	OFF	2005/07/11 14:48
L62	40	atm same url	USPAT	OR	OFF	2005/07/11 14:48
L63	7481173	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
L64	0	"6757743".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L65	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L66	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L67	1	"6751225".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L68	3799	uniform adj resource adj locator	USPAT	OR	OFF	2005/07/11 14:48
L69	1813	L68 and identifier	USPAT	OR	OFF	2005/07/11 14:48
L70	9	L69 and "service parameter"	USPAT	OR	OFF	2005/07/11 14:48
L71	6152	circuit with switch with network	USPAT	OR	OFF	2005/07/11 14:48
L72	0	L71 with Digital with signal same URL	USPAT	OR	OFF	2005/07/11 14:48
L73	0	(L71 with Digital with signal) same URL	USPAT	OR	OFF	2005/07/11 14:48
L74	1	"6601127".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L75	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/07/11 14:48

L76	8	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2005/07/11 14:48
L77	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/07/11 14:48
L78	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
L79	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/07/11 14:48
L80	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
L81	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L82	7	"6442168".URPN.	USPAT	OR	OFF	2005/07/11 14:48
L83	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/07/11 14:48
L84	9	L70 and ad@<"20010509"	USPAT	OR	OFF	2005/07/11 14:48
L85	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48

L86	6	"6285671"	USPAT	OR	OFF	2005/07/11 14:48
L87	3	L71 same URL	USPAT	OR	OFF	2005/07/11 14:48
L88	7	"6510153"	USPAT	OR	OFF	2005/07/11 14:48
L89	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
L90	44881	"atm://"	USPAT	OR	OFF	2005/07/11 14:48
L91	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
L92	5850	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
L93	662	L92 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
L94	109	L93 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
L95	109	L94 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
L96	1535621	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
L97	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/07/11 14:48
S1	702	"atm://" and URL	USPAT	OR	OFF	2004/10/31 13:21
S2	26	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2004/10/31 12:41
S3	26	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2004/10/31 12:41
S4	26	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2004/10/31 12:42

S5	26	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2004/10/31 12:42
S6	15	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2004/10/31 12:42
S7	15	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2004/10/31 12:42
S8	15	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2004/10/31 12:42
S9	14	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2004/10/31 12:42
S10	7	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2004/10/31 12:43
S11	42488	"atm://"	USPAT	OR	OFF	2004/10/31 13:19
S12	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2004/10/31 13:20
S13	0	"atm://ATM"	USPAT	OR	OFF	2004/10/31 13:20
S14	42488	"atm://"	USPAT	OR	OFF	2004/10/31 13:20
S15	42488	"atm@"	USPAT	OR	OFF	2004/10/31 13:22
S16	0	atm adj "://"	USPAT	OR	OFF	2004/10/31 13:22
S17	42488	"atm:// "	USPAT	OR	OFF	2004/10/31 13:22
S18	0	atm adj url	USPAT	OR	OFF	2004/11/01 07:33
S19	428602	atm adj$3 url	USPAT	OR	OFF	2004/11/01 07:34
S20	31	atm same url	USPAT	OR	OFF	2004/11/01 07:34
S21	7366446	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2004/11/01 07:35
S22	31	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2004/11/01 09:00
S23	1	"6601127".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S24	0	"6757743".URPN.	USPAT	OR	OFF	2004/11/01 10:00

S25	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2004/11/01 10:00
S26	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2004/11/01 10:00
S27	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2004/11/01 10:00
S28	6	"6442168".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S29	6	"6442168".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S30	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 10:00
S31	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 10:01
S32	0	"6751225".URPN.	USPAT	OR	OFF	2004/11/01 10:01
S33	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2004/11/01 10:01
S34	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2004/11/01 10:44
S35	3340	uniform adj resource adj locator	USPAT	OR	OFF	2004/11/16 08:37
S36	1580	S35 and identifier	USPAT	OR	OFF	2004/11/16 08:37
S37	8	S36 and "service parameter"	USPAT	OR	OFF	2004/11/16 08:38

S38	8	S37 and ad@<"20010509"	USPAT	OR	OFF	2004/11/16 13:48
S39	6	"6285671"	USPAT	OR	OFF	2004/11/16 13:49
S40	6	"6285671"	USPAT	OR	OFF	2005/06/15 16:14
S41	6126	circuit with switch with network	USPAT	OR	OFF	2005/06/15 16:14
S42	0	S41 with Digital with signal same URL	USPAT	OR	OFF	2005/06/15 16:15
S43	0	(S41 with Digital with signal) same URL	USPAT	OR	OFF	2005/06/15 16:15
S44	3	S41 same URL	USPAT	OR	OFF	2005/06/16 17:33
S45	7	"6510153"	USPAT	OR	OFF	2005/06/16 17:33
S46	825	"atm://" and URL	USPAT	OR	OFF	2005/06/20 09:51
S47	29	("atm://" and URL) and (circuit adj switch)	USPAT	OR	OFF	2005/06/20 09:51
S48	28	(("atm://" and URL) and (circuit adj switch)) and @ad<"20010509"	USPAT	OR	OFF	2005/06/20 09:51
S49	28	((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network	USPAT	OR	OFF	2005/06/20 09:51
S50	28	(((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM	USPAT	OR	OFF	2005/06/20 09:51
S51	17	((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS	USPAT	OR	OFF	2005/06/20 09:51
S52	17	(((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth	USPAT	OR	OFF	2005/06/20 09:51
S53	17	((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address	USPAT	OR	OFF	2005/06/20 09:51
S54	15	(((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3	USPAT	OR	OFF	2005/06/20 09:51
S55	7	((((((((("atm://" and URL) and (circuit adj switch)) and @ad<"20010509") and network) and ATM) and QoS) and bandwidth) and address) and character$3) and locator	USPAT	OR	OFF	2005/06/20 09:51

S56	44713	"atm://"	USPAT	OR	OFF	2005/06/20 09:51
S57	0	"atm://ATM parameters@server ATM"	USPAT	OR	OFF	2005/06/20 09:51
S58	0	"atm://ATM"	USPAT	OR	OFF	2005/06/20 09:51
S59	44713	"atm://"	USPAT	OR	OFF	2005/06/20 09:51
S60	44713	"atm@"	USPAT	OR	OFF	2005/06/20 09:51
S61	0	atm adj "://"	USPAT	OR	OFF	2005/06/20 09:51
S62	44713	"atm:// "	USPAT	OR	OFF	2005/06/20 09:51
S63	0	atm adj url	USPAT	OR	OFF	2005/06/20 09:51
S64	446518	atm adj$3 url	USPAT	OR	OFF	2005/06/20 09:51
S65	40	atm same url	USPAT	OR	OFF	2005/06/20 09:51
S66	7472441	(atm same url) ad@<"19991117"	USPAT	OR	OFF	2005/06/20 09:51
S67	40	(atm same url) and ad@<"19991117"	USPAT	OR	OFF	2005/06/20 09:51
S68	1	"6601127".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S69	0	"6757743".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S70	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/06/20 09:51
S71	4	("5638377" | "6389496" | "6519671" | "6601127").PN.	USPAT	OR	OFF	2005/06/20 09:51
S72	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/06/20 09:51
S73	7	"6442168".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S74	7	"6442168".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S75	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S76	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51
S77	1	"6751225".URPN.	USPAT	OR	OFF	2005/06/20 09:51

S78	35	("4652874" | "4723120" | "4903016" | "5007051" | "5050165" | "5247620" | "5280480" | "5400246" | "5418527" | "5420724" | "5455569" | "5475835" | "5481750" | "5515211" | "5537605" | "5539390" | "5657221" | "5687334" | "5712834" | "5729717" | "5778064" | "5787259" | "5790876" | "5793366" | "5815631" | "5847771" | "5850573" | "5875108" | "5887193" | "5960445" | "5963450" | "5973748" | "5987126" | "6115392" | "6442168").PN.	USPAT	OR	OFF	2005/06/20 09:51
S79	1	("6285671").PN.	USPAT; USOCR	OR	OFF	2005/06/20 09:51
S80	3760	uniform adj resource adj locator	USPAT	OR	OFF	2005/06/20 09:51
S81	1791	S80 and identifier	USPAT	OR	OFF	2005/06/20 09:51
S82	9	S81 and "service parameter"	USPAT	OR	OFF	2005/06/20 09:51
S83	9	S82 and ad@<"20010509"	USPAT	OR	OFF	2005/06/20 09:51
S84	6	"6285671"	USPAT	OR	OFF	2005/06/20 09:51
S85	6	"6285671"	USPAT	OR	OFF	2005/06/20 09:51
S86	6126	circuit with switch with network	USPAT	OR	OFF	2005/06/20 09:51
S87	0	S86 with Digital with signal same URL	USPAT	OR	OFF	2005/06/20 09:51
S88	0	(S86 with Digital with signal) same URL	USPAT	OR	OFF	2005/06/20 09:51
S89	3	S86 same URL	USPAT	OR	OFF	2005/06/20 09:51
S90	7	"6510153"	USPAT	OR	OFF	2005/06/20 09:51
S91	0	URL and "<circuit switch >://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:03
S92	5772	URL and "<telephone number>://"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:03
S93	662	S92 and @ad<"19981209"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:05

S94	109	S93 and atm	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:05
S95	109	S94 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S96	1530803	URL same circuit switch	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07
S97	3	URL same "circuit switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/06/21 14:07